

Bibliographie

- [Aggarwal et Martin, 1994] Aggarwal, J. K. et Martin, W. N. (1994). The role of representation and reconstruction in vision: Is it a matter of definition? *CVGIP: Image Understanding*, 60(1):100–102. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Allman et Kaas, 1971] Allman, J. M. et Kaas, J. H. (1971). A representation of the visual field in the caudal third of the middle temporal gyrus of the owl monkey. *Brain Res.*, 81:85–105.
- [Aloimonos, 1990] Aloimonos, Y. (1990). Purposive and qualitative active vision. pages 346–360, Atlantic City, NJ. 10th ICPR.
- [Aloimonos, 1994] Aloimonos, Y. (1994). What i have learned. *CVGIP: Image Understanding*, 60(1):74–85. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Aloimonos et Rosenfeld, 1992] Aloimonos, Y. et Rosenfeld, A. (1992). *Encyclopedia of Artificial Intelligence*, chapter Visual Recovery. Wiley, New York.
- [Aloimonos et al., 1988] Aloimonos, Y., Weiss, I., et Bandopadhyay, A. (1988). Active vision. *International Journal of Computer Vision*, 2(1):333–356.
- [Alquier, 1994] Alquier, L. (1994). Groupement perceptuel appliqué à la reconnaissance de courbes en vision artificielle. Master's thesis, Université de Montpellier. (in French).
- [Alquier et Montesinos, 1997] Alquier, L. et Montesinos, P. (1997). Recursive perceptual grouping for 3d object reconstruction from 2d scenes. Lappeenranta, Finland. 10th SCIA.
- [Alter et Basri, 1996] Alter, T. D. et Basri, R. (1996). Extracting salient curves from images: An analysis of the saliency network. pages 13–20, San Francisco, CA. CVPR.
- [Aoyama et Kawagoe, 1991] Aoyama, H. et Kawagoe, M. (1991). A piecewise linear polygonal approximation method preserving visual feature points of original figures. *CVGIP: Graphical Models and Image Processing*, 53(5):435–446.

- [Arbogast, 1990] Arbogast, E. (1990). La representation des contours et leur segmentation. Rapport de recherche 115, LIFIA.
- [Armande *et al.*, 1995] Armande, N., Monga, O., et Montesinos, P. (1995). Thin nets and crest lines: Application to satellite data and medical images. Washington, D.C., USA. 2nd ICIP.
- [Attneave, 1954] Attneave, F. (1954). Some informational aspects of visual perception. *Psychology Review*, 61:183–193.
- [Ayache et Lustman, 1991] Ayache, N. et Lustman, F. (1991). Trinocular stereo for robotics. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(1):73–85.
- [Bajcsy, 1988] Bajcsy, R. (1988). Active perception. *Proc. IEEE (Special issue on computer vision)*, 76(8):996–1005.
- [Bajcsy et Lieberman, 1976] Bajcsy, R. et Lieberman, L. (1976). Texture gradient as a depth cue. *Computer Graphics and Image Processing*, 5(1):52–67.
- [Ballard et Brown, 1982] Ballard, D. H. et Brown, C. M. (1982). *Computer Vision*. Prentice Hall.
- [Ballard et Brown, 1992] Ballard, D. H. et Brown, C. M. (1992). Principles of animate vision. *CVGIP Image Understanding*, 56(1):3–21.
- [Batchelor et Whelan, 1997] Batchelor, B. G. et Whelan, P. F. (1997). *Intelligent Vision Systems for the Industry*. Springer-Verlag.
- [Beis et Lowe, 1994] Beis, J. S. et Lowe, D. G. (1994). Learning indexing functions for 3d model-based object recognition. pages 275–280, Seattle, WA. CVPR.
- [Beis et Lowe, 1997] Beis, J. S. et Lowe, D. G. (1997). Shape indexing using approximate nearest-neighbour search in high-dimensional spaces. pages 1000–1006, San Juan, PR. CVPR.
- [Bengtsson et Eklundh, 1991] Bengtsson, A. et Eklundh, J. O. (1991). Shape representation by multiscale contour approximation. *IEEE Transactions on Pattern Recognition and Machine Intelligence*, 13(1):85–93.
- [Berger, 1991] Berger, M. O. (1991). *Contours actifs : modélisation, comportement et convergence*. PhD thesis, Institut National Polytechnique de Lorraine, INRIA Lorraine.
- [Biederman, 1987] Biederman, I. (1987). Recognition by components. London. 1st ICCV.
- [Blake et Zisserman, 1987] Blake, A. et Zisserman, A. (1987). *Visual reconstruction*. MIT Press, Cambridge-MA.
- [Blaszka et Deriche, 1994a] Blaszka, T. et Deriche, R. (1994a). A model based method for characterization and location of curved image features. Rapport de recherche 2451, INRIA-Sophia Antipolis.
- [Blaszka et Deriche, 1994b] Blaszka, T. et Deriche, R. (1994b). Recovering and characterizing image features using an efficient model based approach. Rapport de recherche 2422, INRIA Sophia Antipolis.

-
- [Bolle et Vemuri, 1991] Bolle, R. M. et Vemuri, B. C. (1991). On three-dimensional surface reconstruction methods. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(1):1–13.
- [Brillault, 1992] Brillault, B. (1992). High level 3d structures from a single view. *Image and Vision Computing*, 10(7):508–520.
- [Brooks, 1987] Brooks, R. (1987). Intelligence without representation. Proceedings. Workshop on the Foundations of Artificial Intelligence.
- [Brown, 1994] Brown, C. M. (1994). Toward general vision. *CVGIP: Image Understanding*, 60(1):89–91. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Brunnström et al., 1996] Brunnström, K., Eklundh, J. O., et Uhlin, T. (1996). Active fixation for scene exploration. *International Journal of Computer Vision*, 17(2):137–162.
- [Burt, 1988] Burt, P. J. (1988). Smart sensing within a pyramid vision machine. *Proc. IEEE (Special issue on computer vision)*, 76(8):1006–1015.
- [Cabrera et Meer, 1996] Cabrera, J. et Meer, P. (1996). Unbiased estimation of ellipses by bootstrapping. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(7):752–756.
- [Canny, 1983] Canny, J. F. (1983). Finding edges and lines in images. Rapport de recherche 720, MIT.
- [Caselles et al., 1997] Caselles, V., Kimmel, R., et Sapiro, G. (1997). Geodesic active contours. *International Journal of Computer Vision*, 22(1):61–79.
- [Castan et al., 1990] Castan, S., Zhao, J., et Shen, J. (1990). Optimal filter for edge detection, methods and results. pages 13–17, Antibes, France. 1st ECCV.
- [Chabbi, 1993] Chabbi, H. (1993). *Construction de facettes 3D par stéréovision intégrant des principes de géométrie projective*. PhD thesis, Institut National Polytechnique de Lorraine.
- [Cham et Cipolla, 1995] Cham, T. J. et Cipolla, R. (1995). Symmetry detection through local skewed symmetries. *Image and Vision Computing*, 13(5):439–450.
- [Chang et Aggarwal, 1997] Chang, Y. L. et Aggarwal, J. K. (1997). Line correspondences from cooperating spatial and temporal grouping processes for a sequence of images. *Computer Vision and Image Understanding*, 67(2):186–201.
- [Chen et al., 1996] Chen, P. C., Tsai, W. C., et Hwang, S. Y. (1996). A graded approach to shape representation. *Journal of Visual Communication and Image Representation*, 7(2):105–115.
- [Christensen et Madsen, 1994] Christensen, H. I. et Madsen, C. B. (1994). Purposive reconstruction. *CVGIP: Image Understanding*, 60(1):103–108. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.

- [Cooper, 1993] Cooper, M. C. (1993). Interpretation of line drawings of complex objects. *Image and Vision Computing*, 11(2):82–90.
- [Cowie et Perrott, 1993] Cowie, R. et Perrott, R. (1993). From line drawings to impressions of 3d objects: developing a model to account for the shapes that people see. *Image and Vision Computing*, 11(6):342–352.
- [Cox et al., 1993] Cox, I. J., Rehg, J. M., et Hingorani, S. (1993). A bayesian multiple-hypothesis approach to edge grouping and contour segmentation. *International Journal of Computer Vision*, 11(1):5–24.
- [de Jong et Buurman, 1992] de Jong, J. J. et Buurman, J. (1992). Learning 3d object descriptions from a set of stereo vision observations. volume 1, pages 768–771. 11th ICPR.
- [Debray, 1992] Debray, R. (1992). *Vie et mort de l'image*. Gallimard.
- [Denasi et al., 1992] Denasi, S., Quaglia, G., et Rinaudi, D. (1992). The use of perceptual organization in the prediction of geometric structures. *Pattern Recognition Letters*, 13:529–539.
- [Deriche, 1987] Deriche, R. (1987). Using canny’s criteria to derive a recursive implemented optimal edge detector. *International Journal of Computer Vision*, 1:167–187.
- [Deriche, 1990] Deriche, R. (1990). Techniques d’extraction de contours. Rapport de recherche, INRIA Sphira-Antipolis.
- [Deriche et Faugeras, 1996] Deriche, R. et Faugeras, O. (1996). Les équations aux dérivées partielles en traitement des images et vision par ordinateur. *Reconnaissance des Formes et Intelligence Artificielle - Traitement du Signal*, 13(6):551–577.
- [Deriche et Giraudon, 1993] Deriche, R. et Giraudon, G. (1993). A computational approach for corner and vertex detection. *International Journal of Computer Vision*, 10(2):101–124.
- [Devernay, 1995] Devernay, F. (1995). A non-maxima suppression method for edge detection with sub-pixel accuracy. Rapport de recherche 2724, INRIA-Sophia Antipolis.
- [Dickson, 1991] Dickson, W. (1991). Feature grouping in a hierarchical probabilistic network. *Image and Vision Computing*, 9(1):51–57.
- [Dudek et Tsotsos, 1997] Dudek, G. et Tsotsos, J. K. (1997). Shape representation and recognition from multiscale curvature. *Computer Vision and Image Understanding*, 68(2):170–189.
- [Duncan et Birkhölzer, 1992] Duncan, J. S. et Birkhölzer, T. (1992). Reinforcement of linear structure using parametrized relaxation labeling. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(5):502–515.
- [Dunn et al., 1994] Dunn, D., Higgins, W. E., et Wakeley, J. (1994). Texture segmentation using 2-d gabor elementary functions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(2):130–149.

-
- [Edelman, 1994] Edelman, S. (1994). Representation without reconstruction. *CVGIP: Image Understanding*, 60(1):92–94. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Eggert et Bowyer, 1993] Eggert, D. et Bowyer, K. (1993). Computing the perspective projection aspect graph of solids of revolution. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15(2):109–128.
- [Ellis et al., 1991] Ellis, T., Abbood, A., et Brillault, B. (1991). Ellipse detection and matching with uncertainty. pages 136–144. BMVC.
- [Eric et Grimson, 1993] Eric, W. et Grimson, L. (1993). Why stereo-vision is not always about 3d reconstruction. Rapport de recherche 1435, MIT.
- [Fairney et Fairney, 1994] Fairney, D. P. et Fairney, P. T. (1994). On the accuracy of point curvature estimators in a discrete environment. *Image and Vision Computing*, 12(5):259–265.
- [Faugeras et Robert, 1994] Faugeras, O. et Robert, L. (1994). What can two images tell us about a third one? Rapport de recherche, INRIA.
- [Felleman et Van Essen, 1991] Felleman, D. et Van Essen, D. (1991). Distributed hierarchical processing in primate cerebral cortex. *Cerebral Cortex*, 1(1):1–47.
- [Fermüller et Kropatsch, 1992] Fermüller, C. et Kropatsch, W. (1992). Hierarchical curve representation. volume 3, pages 143–146. IAPR.
- [Fiorio, 1995] Fiorio, C. (1995). *Approche interpixel en analyse d'images, une topologie et des algorithmes de segmentation*. PhD thesis, Université de Montpellier II.
- [Fischler, 1994] Fischler, M. (1994). The modeling and representation of visual information. *CVGIP: Image Understanding*, 60(1):98–99. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Fischler et Bolles, 1986] Fischler, M. A. et Bolles, R. C. (1986). Perceptual organization and curve partitioning. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(1):100–105.
- [Fischler et Wolf, 1994] Fischler, M. A. et Wolf, H. C. (1994). Locating perceptually salient points on planar curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(2):113–129.
- [Freeman, 1988] Freeman, H. (1988). *Machine vision, algorithms, architectures, and systems*, volume 20 of *Perspectives in computing*. Academic Press.
- [Freeman, 1989] Freeman, H. (1989). *Machine vision for inspection and measurement*, volume 24 of *Perspectives in computing*. Academic Press.
- [Gao et Wong, 1993] Gao, Q. G. et Wong, A. K. C. (1993). Curve detection based on perceptual organization. *Pattern Recognition*, 26(7):1039–1046.
- [Garnesson et Giraudon, 1991] Garnesson, P. et Giraudon, G. (1991). Polygonal approximation: Overview and perspectives. Rapport de recherche 1621, INRIA, Sophia Antipolis.

- [Geman *et al.*, 1990] Geman, S., Geman, D., Graffigne, C., et Dong, P. (1990). Boundary detection by constrained optimization. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12:609–628.
- [Gibson, 1950] Gibson, J. J. (1950). *The Perception of the Visual World*. Houghton Mifflin, Boston.
- [Gibson, 1979] Gibson, J. J. (1979). *The Ecological Approach to Visual Perception*. Houghton Mifflin, Boston.
- [Giraudon, 1987] Giraudon, G. (1987). Chainage efficace de contours. Rapport de recherche 605, INRIA.
- [Gordon, 1989] Gordon, I. E. (1989). *Theories of Visual Perception*. John Wiley & Sons.
- [Goshtasby, 1993] Goshtasby, A. (1993). Design and recovery of 2-d and 3-d shapes using rational gaussian curves and surfaces. *International Journal of Computer Vision*, 10(3):233–256.
- [Gregory, 1974] Gregory, R. L. (1974). *Philosophy of Psychology*, chapter 9 - Perception as hypotheses. Macmillan, London.
- [Gros, 1994] Gros, P. (1994). Using quasi-invariants for automatic model building and object recognition: an overview. Workshop NSF/ARPA on 3D object representation in Computer Vision.
- [Gros et Mohr, 1992] Gros, P. et Mohr, R. (1992). Automatic object modelization in computer vision. volume 5, pages 385–400, Berne, Suisse. Workshop on Advances in Structural and Syntactic Pattern Recognition.
- [Gross et Boulton, 1994] Gross, A. D. et Boulton, T. E. (1994). Analyzing skewed symmetries. *International Journal of Computer Vision*, 13(1):91–111.
- [Grossberg et Mingolla, 1985] Grossberg, S. et Mingolla, E. (1985). Neural dynamics of perceptual grouping: Textures, boundaries and emergent segmentations. *Perception and Psychophysics*, 38(2):141–171.
- [Grossmann, 1987] Grossmann, P. (1987). Depth from focus. *Pattern Recognition Letters*, 5:63–69.
- [Gunn et Nixon, 1996] Gunn, S. R. et Nixon, M. S. (1996). A robust snake implementation: A dual active contour. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(1):63–68.
- [Gupta *et al.*, 1993] Gupta, A., Chaudhury, S., et Parthasarathy, G. (1993). A new approach for aggregating edge points into line segments. *Pattern Recognition*, 26(7):1069–1086.
- [Guy et Medioni, 1996] Guy, G. et Medioni, G. (1996). Inferring global perceptual contours from local features. *International Journal of Computer Vision*, 20(1):113–133.
- [Harris et Stephen, 1988] Harris, C. et Stephen, M. (1988). A combined corner and edge detector. pages 147–151, Manchester. Proceedings 4th Alvey Conference.

-
- [Hartley et Sturm, 1997] Hartley, R. I. et Sturm, P. (1997). Triangulation. *Computer Vision and Image Understanding*, 68(2):146–157.
- [Havaladar *et al.*, 1996] Havaladar, P., Medioni, G., et Stein, F. (1996). Perceptual grouping for generic recognition. *International Journal of Computer Vision*, 20(1):59–80.
- [Hérault, 1991] Hérault, L. (1991). *Réseaux de neurones récurrents pour l'optimisation combinatoire : application à la théorie des graphes et à la vision par ordinateur*. PhD thesis, Institut National Polytechnique de Grenoble.
- [Hérault et Horaud, 1992] Hérault, L. et Horaud, R. (1992). Figure-ground discrimination by mean field annealing. pages 58–66, Santa Margherita Ligure, Italy. 2nd ECCV.
- [Horaud et Skordas, 1989] Horaud, R. et Skordas, T. (1989). Stereo correspondance through feature grouping and maximal cliques. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(11):1168–1180.
- [Horaud *et al.*, 1990] Horaud, R., Veillon, F., et Skordas, T. (1990). Finding geometric and relational structures in an image. volume 90, pages 374–384, Antibes, France. 1st ECCV.
- [Horn, 1975] Horn, B. K. P. (1975). *Psychology of Computer Vision*, chapter Shape from shading. McGraw-Hill, New York.
- [Hubel et Weisel, 1962] Hubel, D. H. et Weisel, T. N. (1962). Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *Journal of Psychology*, 166:106–154.
- [Huddleston et Ben-Arie, 1993] Huddleston, J. N. et Ben-Arie, J. (1993). Grouping edgels into structural entities using circular symmetry, the distributed hough transform and probabilistic non-accidentalness. *CVGIP: Image Understanding*, 57(2):227–242.
- [Huynh et Owens, 1994] Huynh, D. Q. et Owens, R. A. (1994). Line labeling and region segmentation in stereo image pairs. *Image and Vision Computing*, 12(4):213–225.
- [Ip et Wong, 1997] Ip, H. S. et Wong, W. H. (1997). Detecting perceptually parallel curves: criteria and force-driven optimization. *Computer Vision and Image Understanding*, 68(2):190–208.
- [Jacobs, 1992] Jacobs, D. W. (1992). *Recognizing 3D objects using 2D images*. PhD thesis, Massachusetts Institute of Technology.
- [Jacobs, 1996] Jacobs, D. W. (1996). Robust and efficient detection of salient convex groups. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(1):23–37.
- [Jacot-Descombes et Pun, 1997] Jacot-Descombes, A. J. et Pun, T. (1997). Asynchronous perceptual grouping: From contours to relevant 2d structures. *Computer Vision and Image Understanding*, 66(1):1–24.
- [Jolion, 1994] Jolion, J. M. (1994). Computer vision methodologies. *CVGIP: Image Understanding*, 59(1):53–71.

- [Jones, 1997] Jones, G. A. (1997). Constraint, optimization, and hierarchy: Reviewing stereoscopic correspondance of complex features. *Computer Vision and Image Understanding*, 65(1):57–78.
- [Joseph, 1994] Joseph, S. H. (1994). Unbiased least square fitting of circular arcs. *CVGIP: Graphical Models and Image Processing*, 56(5):424–432.
- [Julesz, 1960] Julesz, B. (1960). Binocular depth perception of computer generated patterns. *Bell. Syst. Tech. J.*, (39):1125–1162.
- [Kass *et al.*, 1987] Kass, M., Witkin, A., et Terzopoulos, D. (1987). Snakes: Active contour models. In *Third International Conference on Computer Vision*, pages 259–268.
- [Kender, 1978] Kender, J. (1978). Shape from texture: A brief overview and a new aggregation transform. DARPA Image Understanding Workshop.
- [Kitchen et Rosenfeld, 1982] Kitchen, L. et Rosenfeld, A. (1982). Grey-level corner detection. *Pattern Recognition Letters*, pages 95–102.
- [Kovács, 1996] Kovács, I. (1996). Gestalten of today: Early processing of visual contours and surfaces. *Behav. Brain Res. Invited Review*, 82(1):1–11.
- [Kropatsch, 1995] Kropatsch, W. G. (1995). Equivalent contraction kernels and the domain of dual irregular pyramids. Rapport de recherche 42, Technical University of Vienna, Institute for Automation, Treitlstr. 3/1832, A-1040 Vienna AUSTRIA.
- [Lai et Chin, 1993] Lai, K. F. et Chin, R. T. (1993). On regularization, formulation and initialization of the active contour models. In *First Asian Conference on Computer Vision*, pages 542–545, Osaka.
- [Laurentini, 1997] Laurentini, A. (1997). How many 2d silhouettes does it take to reconstruct a 3d object. *Computer Vision and Image Understanding*, 67(1):81–87.
- [Leonardis et Bajcsy, 1992] Leonardis, A. et Bajcsy, R. (1992). Finding parametric curves in an image. pages 653–657, Santa Margherita Ligure, Italy. 2nd ECCV.
- [Lindeberg et Li, 1997] Lindeberg, T. et Li, M. X. (1997). Segmentation and classification of edges using minimum description length approximation and complementary junction cues. *Computer Vision and Image Understanding*, 67(1):88–98.
- [Lowe, 1985] Lowe, D. G. (1985). *Perceptual Organization and Visual Recognition*. Kluwer Academic publisher, Hingham MA 02043, USA.
- [Lu et Jain, 1992] Lu, Y. et Jain, R. C. (1992). Reasoning about edges in scale space. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 14(4):450–467.
- [Luong et Faugeras, 1993] Luong, Q. T. et Faugeras, O. (1993). Self-calibration of a stereo rig from unknown camera motion and point correspondances. Rapport de recherche 2014, INRIA, Sophia-Antipolis.
- [Malik et Maydan, 1989] Malik, J. et Maydan, D. (1989). Recovering three-dimensional shape from a single image of curved objects. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(6):555–566.

-
- [Malik et Perona, 1990] Malik, J. et Perona, P. (1990). Preattentive texture discrimination with early vision mechanisms. *Journal of Optical Society of America*, 7(5):923–932.
- [Mangin, 1994] Mangin, F. (1994). *Amélioration de la détection de contours en imagerie artificielle par un modèle coopératif multi-résolution*. PhD thesis, Université de Nice, Sophia Antipolis.
- [Mangin *et al.*, 1992] Mangin, F., Berthod, M., et Zerubia, J. (1992). A cooperative network for contour grouping. The Hague, the Netherland. 11th ICPR.
- [Marr, 1982] Marr, D. C. (1982). *Vision*. Freeman, Oxford.
- [Matas et Kittler, 1993] Matas, J. et Kittler, J. (1993). Junction detection using probabilistic relaxation. *Image and Vision Computing*, 11(4):197–202.
- [Merlet et Zerubia, 1996] Merlet, N. et Zerubia, J. (1996). New prospects in line detection by dynamic programming. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(4):426–431.
- [Mohan et Nevatia, 1989] Mohan, R. et Nevatia, R. (1989). Using perceptual organization to extract 3d structures. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(11):1121–1139.
- [Mohan et Nevatia, 1992] Mohan, R. et Nevatia, R. (1992). Perceptual organization for scene segmentation and description. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(6):616–635.
- [Mokhtarian et Mackworth, 1992] Mokhtarian, F. et Mackworth, A. K. (1992). A theory of multiscale, curvature-based shape representation for planar curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(8):789–805.
- [Monga *et al.*, 1995] Monga, O., Armande, N., et Montesinos, P. (1995). Crest lines and thin net extraction. volume 1, pages 287–295, Uppsala, Sweden. 9th SCIA.
- [Monga et Horaud, 1993] Monga, O. et Horaud, R. (1993). *Vision par Ordinateur : outils fondamentaux*. Hermes.
- [Montanari, 1971] Montanari, U. (1971). On the optimal detection of curves in noisy pictures. *Communications of the ACM*, 14(5):335–345.
- [Montesinos et Alquier, 1996] Montesinos, P. et Alquier, L. (1996). Perceptual organization with active contour functions: application to aerial and medical images. In *13th ICPR*, volume 2, Vienna, Austria.
- [Montesinos et Blanc, 1994] Montesinos, P. et Blanc, H. V. (1994). Perceptual grouping of continuation. Rapport de recherche, EERIE/LERI, Nîmes, France.
- [Montesinos et Datteny, 1997] Montesinos, P. et Datteny, S. (1997). Sub-pixel accuracy using recursive filtering. Lappeenranta, Finland. 10th SCIA.
- [Nalwa, 1988] Nalwa, V. S. (1988). Line-drawing interpretation: straight lines and conic sections. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(4):514–529.

- [Neuenschwander *et al.*, 1997] Neuenschwander, W. M., Fua, P., Iverson, L., Székely, G., et Kübler, O. (1997). Ziplock snakes. *International Journal of Computer Vision*, 25(3):191–201.
- [Nevatia, 1982] Nevatia, R. (1982). *Machine Perception*. Prentice Hall.
- [Nguyen et Levine, 1996] Nguyen, Q. L. et Levine, M. D. (1996). Representing 3-d objects in range images using geons. *Computer Vision and Image Understanding*, 63(1):158–168.
- [Noble, 1988] Noble, J. A. (1988). Finding corners. *Image and Vision Computing*, 6:121–128.
- [Palmer *et al.*, 1997] Palmer, P. L., Kittler, J., et Petrou, M. (1997). An optimizing line finder using a hough transform algorithm. *Computer Vision and Image Understanding*, 67(1):1–23.
- [Palmer, 1983] Palmer, S. E. (1983). *Human and Machine Vision*, chapter The psychology of perceptual organization: a transformational approach, pages 269–339. New York.
- [Parent et Zucker, 1989] Parent, P. et Zucker, S. W. (1989). Trace inference, curvature consistency, and curve detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(8):823–839.
- [Parodi, 1996] Parodi, P. (1996). The complexity of understanding line drawings of origami scenes. *International Journal of Computer Vision*, 18(2):139–170.
- [Parodi et Piccioli, 1996] Parodi, P. et Piccioli, G. (1996). 3d shape reconstruction by using vanishing points. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(2):211–217.
- [Pavlidis, 1981] Pavlidis, T. (1981). Algorithms for graphics and image processing. pages 275–298. Springer-Verlag, New York.
- [Pentland, 1986] Pentland, A. P. (1986). Perceptual organization and the representation of natural form. *Artificial Intelligence*, 28:293–331.
- [Pentland, 1987] Pentland, A. P. (1987). A new sense for depth of field. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 9:523–531.
- [Pentland et Bichsel, 1994] Pentland, A. P. et Bichsel, M. (1994). *Handbook of Pattern Recognition and Image Processing: Computer Vision*, chapter Chapter 6: Extracting shape from shading, pages 161–183. Academic Press, Inc.
- [Perona et Malik, 1990] Perona, P. et Malik, J. (1990). Scale-space and edge detection using anisotropic diffusion. In *IEEE Transactions on Pattern Recognition and Machine Intelligence*, volume 12, pages 629–639.
- [Perrett et Oram, 1993] Perrett, D. I. et Oram, M. W. (1993). Neurophysiology of shape processing. *Image and Vision Computing*, 11(6):317–333.
- [Pollard *et al.*, 1991] Pollard, S. B., Porrill, J., et Mayhew, J. E. (1991). Recovering partial 3d wire frames descriptions from stereo data. *Image and Vision Computing*, 9(1):58–65.

-
- [Pomerantz, 1981] Pomerantz, J. (1981). *Perceptual Organization*, chapter Perceptual Organization in Information Processing. Lawrence Erlbaum Associates, Hillsdale, N.J.
- [Ponce, 1988] Ponce, J. (1988). Ribbons, symmetries and skewed symmetries. pages 1,074–1,079, Mass. Proc. Image Understanding Workshop.
- [Pope, 1994] Pope, A. R. (1994). Model-based object recognition: A survey of recent research. Rapport de recherche 94-04, University of British Columbia.
- [Pope et Lowe, 1993] Pope, A. R. et Lowe, D. G. (1993). Learning 3d object recognition models from 2d images. pages 35–39, Raleigh, North Carolina. AAAI, Fall Symposium: Machine Learning and Pattern Recognition.
- [Pope et Lowe, 1996] Pope, A. R. et Lowe, D. G. (1996). Learning appearance models for object recognition. pages 201–219, Cambridge, England. International Workshop on Object Representation for Computer Vision.
- [Posch, 1992] Posch, S. (1992). Detecting skewed symmetries. volume 1, pages 602–606. IAPR.
- [Princen *et al.*, 1994] Princen, J., Illingworth, J., et Kittler, J. (1994). Hypothesis testing: A framework for analysing and optimizing hough transform performance. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(4):329–341.
- [Pun, 1992] Pun, T. (1992). *Advances in Machine Vision: Strategies and Applications*, chapter Electromagnetic Models for Perceptual Grouping. World Scientific Publishing Co.
- [Ramesh, 1994] Ramesh, J. (1994). Expansive vision. *CVGIP: Image Understanding*, 60(1):86–88. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Rattarangsi et Chin, 1992] Rattarangsi, A. et Chin, R. T. (1992). Scale-based detection of corners of planar curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(4):430–449.
- [Ray et Ray, 1992] Ray, B. et Ray, K. (1992). An algorithm for polygonal approximation of digitized curves. *Pattern Recognition Letters*, 13:489–496.
- [Regier, 1991] Regier, T. (1991). Line labeling and junction labeling: A coupled system for image interpretation. *IJCAI*, 91:1305–1310.
- [Richetin *et al.*, 1991] Richetin, M., Dhome, M., Lapresté, J. T., et Rives, G. (1991). Inverse perspective transform using zero-curvature contour points: application to the localization of some generalized cylinders from a single view. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(2):185–192.
- [Robert, 1997] Robert, A. (1997). From contour completion to image schemas: A modern perspective on gestalt psychology. Rapport de recherche CogSci. UCSD 97.02, Department of Cognitive Science, University of California, San Diego.
- [Roberts, 1968] Roberts, L. G. (1968). *Optical and Electro-Optical Information Processing*, chapter Machine perception of three-dimensional solids, pages 159–197. MIT Press, Cambridge, Mass.

- [Rohr, 1992] Rohr, K. (1992). Modeling and identification of characteristic intensity variations. *Image and Vision Computing*, 10(2):66–76.
- [Rosin, 1997] Rosin, P. L. (1997). Techniques for assessing polygonal approximations of curves. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(6):659–666.
- [Roth et Levine, 1992] Roth, G. et Levine, M. D. (1992). Geometric primitive extraction using a genetic algorithm. pages 640–643, Champaign, IL, USA. CVPR.
- [Roth et Levine, 1993] Roth, G. et Levine, M. D. (1993). Extracting geometric primitives. *CVGIP Image Understanding*, 58(1):1–22.
- [Sandini et Grosso, 1994] Sandini, G. et Grosso, E. (1994). Why purposive vision? *CVGIP: Image Understanding*, 60(1):109–112. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Sapiro, 1997] Sapiro, G. (1997). Color snakes. *Computer Vision and Image Understanding*, 68(2):247–253.
- [Sarkar, 1994] Sarkar, S. (1994). Tracking 2d structures using perceptual organizational principles. Rapport de recherche, University of South Florida.
- [Sarkar et Boyer, 1992] Sarkar, S. et Boyer, K. L. (1992). Computing perceptual organization using voting method and graphical enumeration. volume 1, pages 263–267. IAPR.
- [Sarkar et Boyer, 1993a] Sarkar, S. et Boyer, K. L. (1993a). Integration, inference and management of spatial information using bayesian networks: Perceptual organization. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15(3):256–274.
- [Sarkar et Boyer, 1993b] Sarkar, S. et Boyer, K. L. (1993b). Perceptual organization in computer vision: A review and a proposal for a classificatory structure. *IEEE Transactions on Systems, Man, and Cybernetics*, 23(2):382–399.
- [Sarkar et Boyer, 1994] Sarkar, S. et Boyer, K. L. (1994). Using perceptual inference networks to manage vision processes. volume A, pages 808–810, Jerusalem, Israël. 12th ICPR.
- [Saund, 1991] Saund, E. (1991). Identifying salient circular arcs on curves. *CVGIP Image Understanding*, 58(3):327–337.
- [Schreiber et Ben-Bassat, 1996] Schreiber, I. et Ben-Bassat, M. (1996). Feg structures for representation and recognition of 3-d polyhedral objects. *International Journal of Computer Vision*, 18(3):211–232.
- [Sekuler et Blake, 1985] Sekuler, R. et Blake, R. (1985). *Perception*. A.A.Knopf, New York.
- [Shashua, 1988] Shashua, A. (1988). Structural saliency: The detection of globally salient structures using a locally connected network. Master's thesis, Weizmann Institute of Science, Rehovot, 76100, Israël.

-
- [Shashua et Ullman, 1988] Shashua, A. et Ullman, S. (1988). Structural saliency: The detection of globally salient structures using a locally connected network. pages 321–327, Tampa, FL, USA. 2nd ICCV.
- [Shashua et Ullman, 1991] Shashua, A. et Ullman, S. (1991). Grouping contours by iterated pairing network. In Lippmann, R., Moody, J., et Touretzky, D. e., editors, *Advances in Neural Information Processing Systems*, volume 3, pages 335–341. Morgan Kaufmann publishers.
- [Shiu, 1990] Shiu, Y. C. (1990). Experiments with perceptual grouping. In *SPIE, Proc. Intelligent Robots and Computer Vision IX: Algorithms and Techniques*, volume 1381, pages 130–141, Boston, Massachusetts.
- [Shpitalni et Lipson, 1996] Shpitalni, M. et Lipson, H. (1996). Identification of faces in a 2d line drawing projection of a wireframe object. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, 18(10):1000–1011.
- [Shrikhande et Stockman, 1989] Shrikhande, N. et Stockman, G. (1989). Surface orientation from a projected grid. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(6):650–655.
- [Sklansky et Gonzalez, 1980] Sklansky, J. et Gonzalez, V. (1980). Fast polygonal approximation of digitized curves. *Pattern Recognition*, 12:327–331.
- [Smith et Brady, 1995] Smith, S. M. et Brady, J. M. (1995). Susan - a new approach to low level image processing. Rapport de recherche TR95SMS1c, Defense Research Agency, Farnborough, Hampshire, UK.
- [Startchik et al., 1994] Startchik, S., Bost, J. M., Rauber, C., Milanese, R., et Pun, T. (1994). Automatic construction of invariant geometric representations for object recognition. Rapport de recherche, University of Geneva.
- [Straforini et al., 1993] Straforini, M., Coelho, C., et Campani, M. (1993). Extraction of vanishing points from images of indoor and outdoor scenes. *Image and Vision Computing*, 11(2):91–99.
- [Straforini et al., 1992] Straforini, M., Coelho, C., Campani, M., et Torre, V. (1992). The recovery and understanding of a line drawing from indoor scenes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(2):298–303.
- [Strauss, 1992] Strauss, O. (1992). *Perception de l'environnement par vision en lumière structurée : segmentation des images par poursuite d'indices*. PhD thesis, Université Montpellier II.
- [Subirana-Vilanova et Sung, 1992] Subirana-Vilanova, J. B. et Sung, K. K. (1992). Multi-scale vector-ridge-detection for perceptual organization without edges. A.I. Memo 1318, Massachusetts Institute of Technology.
- [Tai et al., 1993] Tai, A., Kittler, J., Petrou, M., et Windeatt, T. (1993). Vanishing point detection. *Image and Vision Computing*, 11(4):240–245.
- [Tarel, 1996] Tarel, J. P. (1996). Reconstruction globale et robuste de facettes 3d. Rapport de recherche, INRIA Rocquencourt.

- [Tarr et Black, 1994a] Tarr, M. J. et Black, M. J. (1994a). A computational and evolutionary perspective on the role of representation in vision. *CVGIP: Image Understanding*, 60(1):65–73.
- [Tarr et Black, 1994b] Tarr, M. J. et Black, M. J. (1994b). Reconstruction and purpose. *CVGIP: Image Understanding*, 60(1):113–118. Reply to responses about 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Terzopoulos, 1988] Terzopoulos, D. (1988). The computation of visible surface representations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(4):417–439.
- [Thornber et Williams, 1997] Thornber, K. K. et Williams, L. R. (1997). Orientation, scale, and discontinuity as emergent properties of illusory contour shape. Fort Lauderdale, FL. Association of Researchers in Vision and Ophthalmology Annual Meeting.
- [Tomita et Koizumi, 1992] Tomita, F. et Koizumi, M. (1992). A step toward generic object recognition. volume 1, pages 632–636. IAPR.
- [Trivedi et Rosenfeld, 1989] Trivedi, M. et Rosenfeld, A. (1989). On making computers “see”. *IEEE Trans. Systems Man Cybern.*, 19(6):1333–1335.
- [Tsang et al., 1994] Tsang, W., Yuen, P., et Lam, F. (1994). Detection of dominant points on object boundary: a discontinuity approach. *Image and Vision Computing*, 12(9):547–57.
- [Tsotsos, 1994] Tsotsos, J. K. (1994). There is no one way to look at vision. *CVGIP: Image Understanding*, 60(1):95–97. Reply to 'A Computational and Evolutionary Perspective on the Role of Representation in Vision', by Tarr, M. J. and Black, M. J.
- [Tupin et al., 1996] Tupin, F., Gouinaud, C., Maître, H., Crettez, J.-P., et Nicolas, J.-M. (1996). Détection de structures linéaires sur des images ros. *Reconnaissance des Formes et Intelligence Artificielle - Traitement du Signal*, 13(6):635–650.
- [Ulupinar et Nevatia, 1993] Ulupinar, F. et Nevatia, R. (1993). Perception of 3-d surfaces from 2-d contours. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15(1):3–18.
- [Urago et al., 1992] Urago, S., Berthod, M., et Zerubia, J. (1992). Restauration d'images de contours incomplets par modélisation de champs de markov. Rapport de recherche 1688, INRIA.
- [Urago et al., 1995] Urago, S., Zerubia, J., et Berthod, M. (1995). A markovian model for contour grouping. *Pattern Recognition*, 28(5):683–693.
- [Venkateswar et Chellappa, 1995] Venkateswar, V. et Chellappa, R. (1995). Hierarchical stereo and motion correspondance using feature groupings. *International Journal of Computer Vision*, 15:245–269.
- [Wall et Danielson, 1984] Wall, K. et Danielson, P. E. (1984). A fast sequential method for polygonal approximation of digitized curves. *CVGIP*, 28:220–227.

-
- [Wechsler, 1990] Wechsler, H. (1990). *Computational Vision*. Academic Press.
- [Weinshall et Werman, 1997] Weinshall, D. et Werman, M. (1997). On view likelihood and stability. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(2):97–108.
- [Wertheimer, 1923] Wertheimer, M. (1923). *Untersuchungen zur Lehre von der Gestalt II*, pages 301–350. Number 4. (Republished in Ellis, W.D. (ed) (1938) A Source Book of Gestalt Psychology, London:Routledge and Kegan Paul).
- [Williams et Shah, 1992] Williams, D. J. et Shah, M. (1992). A fast algorithm for active contours and curvature estimation. *CVGIP: Computer Vision and Image Understanding*, 55(1):14–26.
- [Williams et Thornber, 1997] Williams, L. et Thornber, K. (1997). A comparison of measures for detecting natural shapes in cluttered backgrounds. Ft. Lauderdale, FL. Assoc. of Researchers in Vision and Ophthalmology (ARVO) Annual Meeting.
- [Williams et Jacobs, 1994] Williams, L. R. et Jacobs, D. W. (1994). Stochastic completion fields: A neural model for illusory contour shape and salience. (référence incomplète).
- [Witkin et Tenenbaum, 1983] Witkin, A. P. et Tenenbaum, J. M. (1983). *Human and Machine Vision*, chapter On the role of structure in vision, pages 481–543. Beck, Hope and Rosenfeld.
- [Witkin et Tenenbaum, 1986] Witkin, A. P. et Tenenbaum, J. M. (1986). *From Pixels to Predicates*, chapter 7 - On Perceptual Organization, pages 149–169. Alex P. Pentland.
- [Wolfson, 1990] Wolfson, H. J. (1990). Model based object recognition by geometric hashing. Antibes, France. 1st ECCV.
- [Wong et al., 1991] Wong, K. C., Kittler, J., et Illingworth, J. (1991). Heuristically guided polygon finding. pages 400–407. BMVC.
- [Worring et Smeulders, 1993] Worring, M. et Smeulders, A. W. M. (1993). Digital curvature estimation. *CVGIP Image Understanding*, 58(3):366–382.
- [Wu et Wang, 1993] Wu, W.-Y. et Wang, M.-J. J. (1993). Detecting the dominant points by the curvature-based polygonal approximation. *CVGIP: Graphical Models and Image Processing*, 55(2):79–88.
- [Wuescher et Boyer, 1991] Wuescher, D. W. et Boyer, K. L. (1991). Robust contour decomposition using a constant curvature criterion. *IEEE Transactions on Pattern Recognition and Machine Intelligence*, 13(1):41–51.
- [Ylä-Jääski et Ade, 1992] Ylä-Jääski, A. et Ade, F. (1992). Line segment ribbons and their grouping. volume 1, pages 750–754. IAPR.
- [Zakia, 1997] Zakia, R. D. (1997). *Perception and Imaging*. Focal Press.
- [Zeki, 1977] Zeki, S. (1977). Colour coding in the superior temporal sulcus of the rhesus monkey visual cortex. Number 197, pages 195–223. Proc. Roy. Soc. London. Sec. B.

- [Zerroug et Nevatia, 1996a] Zerroug, M. et Nevatia, R. (1996a). Three-dimensional descriptions based on the analysis of the invariant and quasi-invariant properties of some curved-axis generalized cylinders. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 18(3):237–253.
- [Zerroug et Nevatia, 1996b] Zerroug, M. et Nevatia, R. (1996b). Volumetric descriptions from a single intensity image. *International Journal of Computer Vision*, 20(1):11–42.
- [Zhang *et al.*, 1994] Zhang, R., Tsai, P. S., Cryer, J. E., et Shah, M. (1994). Analysis of shape from shading techniques. pages 377–384, Seattle, WA. CVPR.
- [Zhang, 1993] Zhang, Z. (1993). Le problème de la mise en correspondance: L'état de l'art. Rapport de recherche 2146, INRIA, Sophia-Antipolis.
- [Ziou, 1991] Ziou, D. (1991). Line detection using an optimal iir filter. *Pattern Recognition*, 24(6):465–478.
- [Zucker, 1983] Zucker, S. W. (1983). *Human and Machine Vision*, chapter Computational and psychological experiments in grouping: early orientation selection, pages 545–567. Beck, Hope and Rosenfeld.
- [Zucker *et al.*, 1989] Zucker, S. W., Dobbins, A., et Iverson, L. (1989). Two stages of curve detection suggest two styles of visual computation. *Neural Computation*, 1:68–81.

Index

3

3D Mosaic Scene Understanding System 40

A

Abbood, A. 185
acquisition d'images 41
Ade, F. 205
Affordance 20
Aggarwal, J. K. 31, 219
Allman, J. M. 33
Aloimonos, J. 28
Aloimonos, Y. .. 8, 10, 11, 14, 28, 31
Alquier, L. 121, 141
Alter, T. D. 263
Ames, A. 15
animate vision 29
Aoyama, H. 165
approche Inter-pixel 57
approximation polygonale 66
Arbogast, E. 185
Aristote 9
Armande, N. 60
Attneave, F. 47
Ayache, N. 44

B

Bajcsy, R. 11, 43
Bajcsy, R. 94, 201
Ballard, D. H. 27, 29, 41, 42, 47, 49, 61, 72
Bandopadhyay, A. 28
Basri, R. 263

Batchelor, B. G. 35
Beis, J. S. 46, 72
Ben-Arie, J. 92
Ben-Sassat, M. 69
Bengtsson, A. 68
Berger, M. O. 58
Berthod, M. 65, 91
Bichsel, M. 43
Biederman, I. 34
Birkhölzer, T. 65, 91
Black, M. J. 8, 22, 26, 31
Blake, A. 58
Blake, R. 21
Blanc, H. V. 124
Blaszka, T. 58, 59, 64, 202, 213
Bolle, R. M. 70
Bolles, R. C. 185
Bost, J. M. 72
Boult, T. E. 68
Bowyer, K. 71
Boyer, K. L. .. 66, 86, 88, 89, 93, 97, 185, 206, 243
Brady, J. M. 54
Brillault, B. O'Mahony 69
Brillault, B. 185
Brooks, R. 10
Brown, C. M. .. 8, 22, 27, 29, 31, 41, 42, 47, 49, 61, 72
Bruner, J. S. 15
Brunnström, K. 27
Brunswick, E. 14
Burt, P. J. 31
Buurman, J. 69

C

<i>Cabrera, J.</i>	185
<i>Campani, M.</i>	49, 67, 70, 205
<i>Canny, J. F.</i>	55
<i>Caselles, V.</i>	58
<i>Castan, S.</i>	56
<i>Chabbi, H.</i>	69
chaînage de contours	65
<i>Cham, T. J.</i>	205
Champs d'extensions	251
champs perceptuels	76
Champs stochastiques de fermeture .	252
<i>Chang, Y. L.</i>	219
<i>Chaudhury, S.</i>	66, 164
<i>Chellappa, R.</i>	207, 239
<i>Chen, P. C.</i>	68
<i>Chin, R. T.</i>	58, 67, 185
<i>Christensen, H. I.</i>	31, 33
<i>Cipolla, R.</i>	205
classification	93
<i>Coelho, C.</i>	49, 67, 70, 205
<i>Constructive Solid Geometry</i>	71
contours actifs	57
contours déformables	58
contours subjectifs	62
<i>Cooper, M. C.</i>	49
courbure	66
<i>Cowie, R.</i>	49, 69
<i>Cox, I. J.</i>	92
<i>Crettez, J. P.</i>	60
<i>Cryer, J. E.</i>	43
cube de Necker	16
cylindres généralisés	70

D

<i>Danielson, P. E.</i>	167
<i>Datteny, S.</i>	57
<i>de Jong, J. J.</i>	69
<i>Debray, R.</i>	1
<i>Denasi, S.</i>	206
<i>Deriche, R.</i> .. 53, 55, 58, 59, 64, 187,	202, 213

<i>Descartes</i>	9
détection de coins	59
<i>Devernay, F.</i>	57
<i>Dhome, M.</i>	70
<i>Dickson, W.</i>	169
diffusion anisotropique	57
<i>Dobbins, A.</i>	163, 250
<i>Dong, P.</i>	61
<i>Dudek, G.</i>	68
<i>Duncan, J. S.</i>	65, 91
<i>Duncker</i>	12
<i>Dunn, D.</i>	61

E

<i>Ecological Optics</i>	18
<i>Edelman, S.</i>	28, 31
<i>Eggert, D.</i>	71
<i>Eklundh, J. O.</i>	27, 68
<i>Ellis, T.</i>	185
Empirisme	15
<i>Eric, W.</i>	44
Espaces multi-échelles	57
étiquetage	90

F

<i>Fairney, D. P.</i>	66
<i>Fairney, P. T.</i>	66
<i>Faraday</i>	76
<i>Faugeras, O.</i>	44, 58
<i>Felleman, D.</i>	33
<i>Fermüller, C.</i>	67, 185
Figures de Kanizsa	62
figures impossibles	16
Fil de fer	68
Filtre gaussien	55
<i>Fiorio, C.</i>	57
<i>Fischler, M. A.</i>	185
<i>Fischler, M.</i>	25, 31
<i>Fischler, M. A.</i>	66, 185
Fonctionnalisme probabiliste	14
fonctions extensibles	258
<i>Freeman, H.</i>	35
<i>Fua, P.</i>	58

G

<i>Gao, Q. G.</i>	186
<i>Garnesson, P.</i>	165
<i>Geman, D.</i>	61
<i>Geman, S.</i>	61
<i>Geodesic snakes</i>	58
<i>Géons</i>	70
<i>Gestalt</i>	12
<i>Gestaltqualität</i>	12, 77
<i>Gibson, J. J.</i>	19, 43, 45
<i>Giraudon, G.</i>	59, 65, 165
<i>Gonzalez, V.</i>	165
<i>Gordon, I. E.</i>	12, 14
<i>Goshtasby, A.</i>	185
<i>Gouinaud, C.</i>	60
<i>Graffigne, C.</i>	61
<i>Graphes Bayesiens</i>	92
<i>graphes d'aspects</i>	71
<i>graphe de contours</i>	69
<i>Gregory, R. L.</i>	15
<i>Grimson, L.</i>	44
<i>Gros, P.</i>	72
<i>Gross, A. D.</i>	68
<i>Grossberg, S.</i>	90
<i>Grossmann, P.</i>	45
<i>Grosso, E.</i>	26, 31
<i>groupement perceptuel</i>	78
<i>Gunn, S. R.</i>	58
<i>Gupta, A.K.</i>	66, 164
<i>Guy, G.</i>	251

H

<i>Harris, C.</i>	59
<i>Hartley, R. I.</i>	44
<i>Havaladar, P.</i>	93, 200, 207
<i>Helmholtz</i>	76
<i>Helmholtz, H. von</i>	15
<i>Hérault, L.</i>	247, 249
<i>Hertz</i>	76
<i>Higgins, W. E.</i>	61
<i>Hingorani, S.</i>	92
<i>Hochberg</i>	83

<i>Horaud, R.</i> ..	52, 54, 60, 61, 89, 207, 249
----------------------	------------------------------

<i>Horn, B. K. P.</i>	43
<i>Hubel, D. H.</i>	21
<i>Huddleston, J. N.</i>	92
<i>Huynh, D. Q.</i>	69
<i>Hwang, S. Y.</i>	68

I

<i>Illingworth, J.</i>	64, 67, 92
<i>illusions géométriques</i>	17
<i>indexation</i>	93
<i>indices visuels</i>	41, 42
<i>Ip, H. S.</i>	205
<i>Iverson, L.</i>	58, 163, 250

J

<i>Jacobs, D. W.</i>	46, 62, 72, 89, 205, 252
<i>Jacot-Descombes, A. J.</i>	200, 213
<i>Jain, R. C.</i>	57
<i>Jolion, J. M.</i>	22, 35
<i>Jones, G. A.</i>	204
<i>Joseph, S. H.</i>	185
<i>Princen, J.</i>	64
<i>Julesz, B.</i>	24

K

<i>Kaas, J. H.</i>	33
<i>Kanizsa</i>	82
<i>Kass, M.</i>	57, 64
<i>Katona</i>	12
<i>Kawagoe, M.</i>	165
<i>Kender, J.</i>	43
<i>Kimmel, R.</i>	58
<i>Kirsch, R.</i>	53
<i>Kitchen, L.</i>	59
<i>Kittler, J.</i>	64, 67, 92, 205, 213
<i>Koffka, K.</i>	76
<i>Köhler, W.</i>	12, 76
<i>Koizumi, M.</i>	67
<i>Kovács, I.</i>	76
<i>Kropatsch, W. G.</i>	67, 74, 185
<i>Kübler, O.</i>	58

L

- Lai, K. F.* 58
Lam, F.K. 66, 185
Lapresté, J. T. 70
Laurentini, A. 72
Leonardis, A. 94, 201
Levine, M. D. 64, 71, 92, 195
Li, M. X. 94, 201, 208
Lieberman, L. 43
Lindeberg, T. 94, 201, 208
Lipson, H. 69
Longueur Minimale de Description 94
Lowe, D. G. .. 46, 72, 74, 85, 89, 97,
169, 244
Lu, Y. 57
Luong, Q. T. 44
Lustman, F. 44

M

- Mackworth, A. K.* 68
Madsen, C. B. 31, 33
Maître, H. 60
Malik, J. 44, 57, 61, 69
Mangin, F. 91
Marr, D. C. 10, 24, 54
Martin, W. N. 31
masques de Kirsh 53
masques de Prewitt 54
masques de Sobel 54
Matas, J. 213
Maydan, D. 44, 69
Mayhew, J. E. 69
Medioni, G. 93, 200, 207, 251
Meer, P. 185
Merlet, N. 60, 91, 263
Milanese, R. 72
Mingolla, E. 90
Modèle d'apparence 74
Mohan, R. 91, 205, 206, 243
Mohr, R. 72
Mokhtarian, F. 68
Monga, O. 52, 54, 60, 61
Montanari, U. 259

- Montesinos, P.* . 57, 60, 121, 124, 141
Motifs de Marroquin 78
mouvement Brownien 252

N

- Nalwa, V. S.* 49
Neuenschwander, W. M. 58
Nevatia, R. . 44, 61, 70, 91, 205, 206,
243
Nguyen, Q. L. 71
Nicolas, J.-M. 60
Nixon, M. S. 58
Noble, J. A. 59

O

- opérateur de Hueckel 54
Oram, M. W. 47
Owens, R. A. 69

P

- Palmer, P. L.* 64
Palmer, S. E. 93
paradigme Constructioniste 15
paradigme de Marr 23
paradigme reconstitutif 22
Parent, P. 65, 126, 250
Parodi, P. 49, 70
Parthasarathy, G. 66, 164
Pavlidis, T. 168
Pentland, A. P. 43, 45, 46, 50
Perception immédiate 18
Perona, P. 57, 61
Perrett, D. I. 47
Perrott, R. 49, 69
Petrou, M. 64, 67, 205
Piccioli, G. 70
Platon 9
Pollard, S. B. 69
Pomerantz, J.R. 76
Ponce, J. 68
Pope, A. R. 72, 74, 97, 244
Porrill, J. 69
Posch, S. 68
Prägnanz 12, 77

précurseurs sémantiques 85
 prégnance 77
Prewitt, J. M. S 54
 Principe de “non-accidentalité” .. 85
 Principe de simplicité 83
 programmation dynamique .. 91, 259
 psycho-physique 11
Pun, T. 72, 90, 200, 213

Q

Quaglia, G. 206
 qualité de bonne forme 77

R

Ramesh, J. 8, 31, 33
Rattarangsi, A. 67, 185
Rauber, C. 72
Ray, B. K. 165
Ray, K. S. 165
 reconstruction intenstionnelle 33
recovery paradigm 22
 recuit simulé 249
Regier, T. 49, 208
Rehg, J. M. 92
 relaxation 90, 250
 Réseau de Hopfield 91
 Réseaux de Neurones 91
 Réseaux de Hopfield 249
 réseaux fins 59
Richetin, M. 70
Rinaudi, D. 206
Rives, G. 70
Robert, A. 76
Robert, L. 44
Roberts, L. G. 48
Rohr, K. 59
Rosenfeld, A. 9, 10, 59
Rosin, P. L. 165
Roth, G. 92
Roth, G. 64, 195
 rubans 67

S

saillance structurelle 101

Sandini, G. 26, 31
Sapiro, G. 58
Sarkar, S. ... 86, 88, 89, 93, 97, 206, 207, 243
Saund, E. 164, 185
Schreiber, I. 69
 segmentation de régions 61
 segmentation de textures 61
 segmentation en régions 41
 segmentation en textures 41
Sekuler, R. 21
 seuils sensoriels 11
Shah, M. 43
Shah, M. 58
shape from contours 43
shape from motion 45
shape from shading 43
shape from texture 43
Shashua, A. .. 91, 102, 110, 122, 254, 261, 263
Shen, J. 56
Shiu, Y. C. 92
Shpitalni, M. 69
Shrikhande, N. 45
skewed symmetry 67
Sklansky, J. 165
Skordas, T. 89, 207
Smeulders, A. W. M. ... 66, 148, 187
Smith, S. M. 54
snakes 57
Startchik, S. 72
Stein, F. 93, 200, 207
Stephen, M. 59
 stéréo-gramme de points aléatoires 24
Stockman, G. 45
Straforini, M. 49, 67, 70, 205
Strauss, O. 45
Sturm, P. 44
Subirana-Vilanova, J. B. 263
Sung, K. K. 263
 symétries 67
Székel, G. 58

T

<i>Tai, A.</i>	67, 205
<i>Tarel, J. P.</i>	69
<i>Tarr, M. J.</i>	8, 22, 26, 31
<i>Tenenbaum, J. M.</i>	85
<i>Terzopoulos, D.</i>	57, 64, 70
Théorie de l'Information	94
Théorie de Régularisation	55
théorie des graphes	92
Théorie de Transformations	93
<i>Thornber, K. K.</i>	62, 247, 254
<i>Tomita, F.</i>	67
<i>Torre, V.</i>	49, 70
transformée de Hough	64
Triangle de Penrose	83
<i>Trivedi, M.M.</i>	9
<i>Tsai, P. S.</i>	43
<i>Tsai, W. C.</i>	68
<i>Tsang, W.M.</i>	66, 185
<i>Tsotsos, J. K.</i>	31–33, 68
<i>Tupin, F.</i>	60

U

<i>Uhlin, T.</i>	27
<i>Ullman, S.</i>	102, 110, 254, 261
<i>Ulupinar, F.</i>	70
<i>Urago, S.</i>	65

V

<i>Van Essen, D.</i>	33
<i>Veillon, F.</i>	89
<i>Vemuri, B. C.</i>	70
<i>Venkateswar, V.</i>	207, 239
vision active	28
vision dirigée	29
vision intentionnelle	28
voxels	71

W

<i>Wakeley, J.</i>	61
<i>Wall, K.</i>	167
<i>Wang, M-J. J.</i>	66, 185
<i>Wechsler, H.</i>	47
<i>Weinshall, D.</i>	71

<i>Weisel, T. N.</i>	21
<i>Weiss, I.</i>	28
<i>Werman, M.</i>	71
<i>Wertheimer, M.</i>	12, 76, 78
<i>Whelan, P. F.</i>	35
<i>Williams, L. R.</i>	62, 252
<i>Williams, D. J.</i>	58
<i>Williams, L. R.</i>	62, 247, 254
<i>Windeatt, T.</i>	67, 205
<i>Witkin, A.</i>	57, 64
<i>Witkin, A. P.</i>	85
<i>Wolf, H. C.</i>	66, 185
<i>Wolfson, H. J.</i>	74
<i>Wong, A. K. C.</i>	186
<i>Wong, K. C.</i>	67, 92
<i>Wong, W. H.</i>	205
<i>Worring, M.</i>	66, 148, 187
<i>Wu, W-Y.</i>	66, 185
<i>Wuescher, D. W.</i>	66, 185

Y

<i>Ylä-Jääski, A.</i>	205
<i>Yuen, P.C.</i>	66, 185

Z

<i>Zakia, R. D.</i>	11
<i>Zeki, S.</i>	33
<i>Zerroug, M.</i>	44, 70
<i>Zerubia, J.</i>	60, 65, 91, 263
<i>Zhang, R.</i>	43
<i>Zhang, Z.</i>	44, 204
<i>Zhao, J.</i>	56
<i>Ziou, D.</i>	60
<i>Zisserman, A.</i>	58
<i>Zucker, S. W.</i> ..	65, 84, 126, 163, 250